L Number	Hits	Search Text	DB	Time stamp
-	0	hierarch$4 adj node adj data$base	USPAT; EPO; JPO	2003/12/10 09:58
-	2	hierarch$4 near node near data$base	USPAT; EPO; JPO	2002/08/15 09:19
-	311	hierarch$4 near node and data$base	USPAT; EPO; JPO	2003/02/06 11:17
-	10	hierarch$4 near node and data$base and link near table	USPAT; EPO; JPO	2002/08/15 09:20
-	5	hierarch$4 near node and data$base and link near table and node near data	USPAT; EPO; JPO	2002/08/15 09:21
-	5	hierarch$4 near node and data$base and link near table and node near data and relationship near data	USPAT; EPO; JPO	2002/08/15 09:22
-	0	hierarch$4 near node and data$base and link near table and node near data and relationship near data and effective	USPAT; EPO; JPO	2002/08/15 09:22
-	1	hierarch$4 near node and data$base and link near table and node near data and relationship near data and period	USPAT; EPO; JPO	2002/08/15 09:22
-	0	hierarch$4 near node and data$base and effective near period near data	USPAT; EPO; JPO	2002/08/15 09:23
-	1	hierarch$4 near node and data$base and effective near period	USPAT; EPO; JPO	2002/08/15 10:59
-	10	hierarch$4 near node and data$base and fixed near length	USPAT; EPO; JPO	2002/08/15 09:24
-	0	hierarch$4 near node and data$base and fixed near length near column	USPAT; EPO; JPO	2002/08/15 09:24
-	7	hierarch$4 near node and data$base and fixed near length and column	USPAT; EPO; JPO	2002/08/15 09:24
-	5	hierarch$4 near node and data$base and fixed near length and column and variable near length	USPAT; EPO; JPO	2002/08/15 10:53
-	0	hierarch$4 near node and data$base and fixed near length and column and variable near length near column	USPAT; EPO; JPO	2002/08/15 09:25
-	2	hierarch$4 near node and data$base and fixed near length and column and variable near length and constant	USPAT; EPO; JPO	2002/08/15 12:27
-	0	hierarch$4 near node and data$base and fixed near length and column and variable near length and constant near (length size)	USPAT; EPO; JPO	2002/08/15 09:26
-	5	hierarch$4 near node and data$base and link adj table	USPAT; EPO; JPO	2002/08/15 09:49
-	12	707/$.ccls. and effective near period	USPAT; EPO; JPO	2002/08/15 11:00
-	9	707/$.ccls. and effective near period and data$base	USPAT; EPO; JPO	2002/08/15 11:00
-	6	707/$.ccls. and effective near period and data$base and fixed	USPAT; EPO; JPO	2002/08/15 11:01
-	1	707/$.ccls. and effective near period and data$base and fixed and variable	USPAT; EPO; JPO	2002/08/15 11:01
-	3	cycle adj control adj table	USPAT; EPO; JPO	2002/08/15 12:59
-	5	cycle near control adj table	USPAT; EPO; JPO	2002/08/15 12:29
-	6	cycle near control near table	USPAT; EPO; JPO	2002/08/15 12:30
-	41	707/$.ccls. and cycle near control	USPAT; EPO; JPO	2002/08/15 12:30
-	11	707/$.ccls. and cycle near control and data$base and table	USPAT; EPO; JPO	2002/08/15 12:33
-	0	707/$.ccls. and cycle near control near data$base and table	USPAT; EPO; JPO	2002/08/15 12:31
-	1	707/$.ccls. and cycle near control and control near table and data$base and table	USPAT; EPO; JPO	2002/08/15 12:59

C:\APPS\EAST\Workspaces\52 – Nishikawa.wsp

-	5	707/$.ccls. and cycle near control and data$base and table and tim$3 and interval	USPAT; EPO; JPO	2002/08/15 12:35
-	11	707/$.ccls. and cycle near control and data$base and table and tim$3 nearinterval	USPAT; EPO; JPO	2002/08/15 12:35
-	5	707/$.ccls. and cycle near control and data$base and table and tim$3 near interval	USPAT; EPO; JPO	2002/08/15 12:36
-	12	707/$.ccls. and cycle near control and tim$3 near interval	USPAT; EPO; JPO	2002/08/15 12:37
-	4	707/$.ccls. and cycle near control and tim$3 near interval and execut$4 near tim$4	USPAT; EPO; JPO	2002/08/15 12:43
-	0	707/$.ccls. and cycle near control and tim$3 near interval and execut$4 near (timer timing)	USPAT; EPO; JPO	2002/08/15 12:44
-	1	707/$.ccls. and cycle near control and tim$3 near interval and execut$4 near (interval cycle timer timing)	USPAT; EPO; JPO	2002/08/15 12:46
-	12	cycle near control and execut$3 near time near interval	USPAT; EPO; JPO	2002/08/15 12:47
-	0	707/$.ccls. and cycle near control and execut$3 near time near interval	USPAT; EPO; JPO	2002/08/15 12:47
-	0	707/$.ccls. and cycle near control and execut$3 near interval	USPAT; EPO; JPO	2002/08/15 12:47
-	9	707/$.ccls. and cycle near control and execut$3 and time near interval	USPAT; EPO; JPO	2002/08/15 12:48
-	0	707/$.ccls. and execution near interval and control near cycle	USPAT; EPO; JPO	2002/08/15 13:00
-	1	707/$.ccls. and execution near interval and control near table	USPAT; EPO; JPO	2002/08/15 13:00
-	0	hierarch$4 near node and data$base and cycle near control and control near table and execution near time$3	USPAT; EPO; JPO	2002/08/15 13:17
-	0	hierarch$4 near node and data$base and cycle near control and control near table	USPAT; EPO; JPO	2002/08/15 13:17
-	4439	hierarch$4 near node and data$base and (cycle near control) (control near table) and execut$	USPAT; EPO; JPO	2002/08/15 13:18
-	86	hierarch$4 near node and data$base and (cycle near control) (control near table) and execut$ near (timer timing interval)	USPAT; EPO; JPO	2002/08/15 13:20
-	86	707/$.ccls. and hierarch$4 near node and data$base and (cycle near control) (control near table) and execut$ near (timer timing interval)	USPAT; EPO; JPO	2002/08/15 13:22
-.	6	707/$.ccls. and (hierarch$4 near node and data$base and (cycle near control) (control near table) and execut$ near (timer timing interval))	USPAT; EPO; JPO	2002/08/15 13:23
-	153	hierarchical with node same data$base	USPAT; EPO; JPO	2003/02/06 10:56
-	0	hierarchical with node same data$base and hierarchical with link near table	USPAT; EPO; JPO	2003/02/06 10:57
-	3	hierarchical with node same data$base and hierarchical and link near table	USPAT; EPO; JPO	2003/07/28 12:58
-	30	hierarch$4 near node and data$base and effective with (time period interval)	USPAT; EPO; JPO	2003/02/06 11:28
-	1	hierarch$4 near node and data$base and effective with (time period interval) and link near4 table	USPAT; EPO; JPO	2003/02/06 11:19
-	2	hierarch$4 near node and data$base and effective with (time period interval) and link with table	USPAT; EPO; JPO	2003/02/06 11:23
-	18	hierarch$4 with node and data$base and effective with (time period interval) and link with table	USPAT; EPO; JPO	2003/02/06 11:24
-	9	hierarchical with node and data$base and effective with (time period interval) and link with table	USPAT; EPO; JPO	2003/02/06 11:24

C:\APPS\EAST\Workspaces\52 - Nishikawa.wsp

–		0	hierarch$4 near node and data$base and effective with (time period interval) and @as<>"international business machines"	USPAT; EPO; JPO	2003/02/06 11:29
–		0	hierarch$4 near node and data$base and effective with (time period interval) and @as="international business machines"	USPAT; EPO; JPO	2003/02/06 11:30
–		9	hierarch$4 near node and data$base and effective with (time period interval) and "international business machines".as.	USPAT; EPO; JPO	2003/02/06 11:31
–		30	hierarch$4 near node and data$base and effective with (time period interval)	USPAT; EPO; JPO	2003/02/06 11:40
–		9	hierarch$4 near node and data$base and effective with (time period interval) and "international business machine".as.	USPAT; EPO; JPO	2003/07/28 12:57
–		9	hierarch$4 near node and data$base and effective with (time period interval) and "international business machine"	USPAT; EPO; JPO	2003/02/06 11:34
–		8	hierarch$4 near node and data$base and effective with (time period interval) and "international business machines corporation".as.	USPAT; EPO; JPO	2003/02/06 11:34
–		10	hierarch$4 near node and data$base and effective with (time period interval) and international not machine.as.	USPAT; EPO; JPO	2003/02/06 11:45
–		21	hierarch$4 near node and data$base and effective with (time period interval) not "international business".as.	USPAT; EPO; JPO	2003/02/06 11:46
–		21	hierarch$4 near node and data$base and effective with (time period interval) not "international business machine".as.	USPAT; EPO; JPO	2003/02/06 11:46
–		16	hierarch$4 near node and data$base and effective with (time period interval) not "international business machine".as. and link$4	USPAT; EPO; JPO	2003/02/06 11:46
–		15	hierarch$4 near node and data$base and effective with (time period interval) not "international business machine".as. and link$4 and table	USPAT; EPO; JPO	2003/02/06 11:47
–		1	hierarch$4 near node and data$base and effective with (time period interval) not "international business machine".as. and link$4 with table	USPAT; EPO; JPO	2003/02/06 11:48
–		0	hierarch$4 near node and data$base and effective near4 (time period interval) not "international business machine".as. and link$4 with table	USPAT; EPO; JPO	2003/02/06 11:48
–		4	707/$.ccls. and hierarch$4 near node and data$base and effective near4 (time period interval) not "international business machine".as.	USPAT; EPO; JPO	2003/02/06 11:49
–		13	hierarch$4 near node and data$base and effective near4 (time period interval) not "international business machine".as.	USPAT; EPO; JPO	2003/02/06 12:20
–		10	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as.	USPAT; EPO; JPO	2003/02/06 12:22
–		10	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and table	USPAT; EPO; JPO	2003/02/06 12:23
–		8	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and table and link	USPAT; EPO; JPO	2003/02/06 12:23

C:\APPS\EAST\Workspaces\52 - Nishikawa.wsp

-	0	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link adj table	USPAT; EPO; JPO	2003/02/06 12:23
-	0	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link near table	USPAT; EPO; JPO	2003/02/06 12:24
-	0	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link near4 table	USPAT; EPO; JPO	2003/02/06 12:24
-	6	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link with table	USPAT; EPO; JPO	2003/02/06 12:26
-	0	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link with table and stor$4 with start	USPAT; EPO; JPO	2003/02/06 12:27
-	0	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link with table and stor$4 same start	USPAT; EPO; JPO	2003/02/06 12:27
-	6	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link with table and stor$4 same (time period interval)	USPAT; EPO; JPO	2003/02/10 11:15
-	6	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link with table and stor$4 same (time period interval) and fix$4	USPAT; EPO; JPO	2003/02/06 12:35
-	6	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link with table and stor$4 same (time period interval) and ((fix$4 with length) constant)	USPAT; EPO; JPO	2003/02/06 12:38
-	0	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link with table and stor$4 same (time period interval) and ((fix$4 with length) constant with (size length))	USPAT; EPO; JPO	2003/02/06 12:39
-	0	hierarch$4 near node and data$base and start adj (time period interval) and end adj (time period interval) not "international business machine".as. and link with table and stor$4 same (time period interval) and ((fix$4 same length) constant same (size length))	USPAT; EPO; JPO	2003/02/06 12:39
-	1	5630125.pn.	USPAT; EPO; JPO	2003/02/07 11:50
-	188	fixed adj length with column	USPAT; EPO; JPO	2003/02/07 14:22
-	38	fixed adj length with column and variable adj length with column	USPAT; EPO; JPO	2003/02/07 14:23
-	23	table and fixed adj length with column and variable adj length with column	USPAT; EPO; JPO	2003/02/07 14:24

–	0	table and fixed adj length with column same (constant fix) near4 size and variable adj length with column	USPAT; EPO; JPO	2003/02/07 14:25
–	0	table and fixed adj length with column same (constant fix) and variable adj length with column	USPAT; EPO; JPO	2003/02/07 14:25
–	23	table and fixed adj length with column and variable adj length with column	USPAT; EPO; JPO	2003/02/07 14:25
–	10	table and link and fixed adj length with column and variable adj length with column	USPAT; EPO; JPO	2003/02/07 14:26
–	1	table and link and fixed adj length with column and variable adj length with column and hierarch$4 with data$base	USPAT; EPO; JPO	2003/02/07 14:26
–	27	first adj application with rate and second adj application with rate	USPAT; EPO; JPO	2003/02/10 11:17
–	208	first near4 application with rate and second near4 application with rate	USPAT; EPO; JPO	2003/02/10 11:18
–	17025	first near4 application and second near4 application	USPAT; EPO; JPO	2003/02/10 11:19
–	506	first near4 application adj program and second near4 application adj program	USPAT; EPO; JPO	2003/02/10 11:22
–	72	707/$.ccls. and first near4 application adj program and second near4 application adj program	USPAT; EPO; JPO	2003/02/10 11:23
–	0	707/$.ccls. and first near4 application adj program with rate and second near4 application adj program with rate and (communication telecommunication)	USPAT; EPO; JPO	2003/02/10 11:26
–	0	707/$.ccls. and first near4 application adj program and second near4 application adj program and rate near4 scheme and (communication telecommunication)	USPAT; EPO; JPO	2003/02/10 11:27
–	11	707/$.ccls. and first near4 application adj program and second near4 application adj program and rate and (communication telecommunication)	USPAT; EPO; JPO	2003/02/10 11:27
–	0	first near4 application adj program and second near4 application adj program and rate near4 scheme and (communication telecommunication)	USPAT; EPO; JPO	2003/02/10 11:28
–	4	first near4 application adj program and second near4 application adj program and rate same scheme and (communication telecommunication)	USPAT; EPO; JPO	2003/07/28 16:16
–	160	rate adj scheme	USPAT; EPO; JPO	2003/02/10 11:50
–	1	rate adj scheme and first adj application	USPAT; EPO; JPO	2003/02/10 11:50
–	160	"rate scheme"	USPAT; EPO; JPO	2003/02/10 11:50
–	1	"rate scheme" and first adj application	USPAT; EPO; JPO	2003/02/10 11:54
–	1	"rate scheme" and first adj application and second adj application	USPAT; EPO; JPO	2003/02/10 11:51
–	5	"rate scheme" and first near4 application	USPAT; EPO; JPO	2003/02/10 11:54
–	2	"rate scheme" and first near4 application and second near4 application	USPAT; EPO; JPO	2003/02/10 11:54
–	0	hierarchical with node same data$base and hierarchical and link near table and table near node	USPAT; EPO; JPO	2003/07/28 13:00
–	1	hierarchical with node same data$base and hierarchical and link near table and table with node	USPAT; EPO; JPO	2003/07/28 13:00
–	1	hierarchical with node same data$base and hierarchical and link near table and table same node	USPAT; EPO; JPO	2003/07/28 13:00

C:\APPS\EAST\Workspaces\52 – Nishikawa.wsp

-	0	first near4 application adj program and second near4 application adj program and rate same scheme same mone$4 and (communication telecommunication)	USPAT; EPO; JPO	2003/07/28 16:17
-	4	first near4 application adj program and second near4 application adj program and rate same scheme	USPAT; EPO; JPO	2003/07/28 16:16
-	0	first near4 application adj program and second near4 application adj program and rate same scheme same (mone$4 price cost)	USPAT; EPO; JPO	2003/07/28 16:18
-	52	application adj program and rate same scheme same (mone$4 price cost)	USPAT; EPO; JPO	2003/07/28 16:18
-	6297	first adj application and second application and application adj program and rate same scheme same (mone$4 price cost)	USPAT; EPO; JPO	2003/07/28 16:20
-	0	first adj application adj program and second adj application adj program and rate same scheme same (mone$4 price cost)	USPAT; EPO; JPO	2003/07/28 16:21
-	2	first adj application and second adj application and rate same scheme same (mone$4 price cost)	USPAT; EPO; JPO	2003/07/28 16:23
-	0	first adj application and second adj application and rate with scheme with mone$4	USPAT; EPO; JPO	2003/07/28 16:23
-	0	mone$4 adj rate adj scheme	USPAT; EPO; JPO	2003/07/28 16:23
-	1	mone$4 with rate with scheme	USPAT; EPO; JPO	2003/07/28 16:24
-	0	hierarch$4 adj node adj data$base	USPAT; EPO; JPO	2003/12/10 09:59
-	166	hierarch$4 with node with data$base	USPAT; EPO; JPO	2003/12/10 09:59
-	21	hierarch$4 with link adj table	USPAT; EPO; JPO	2003/12/10 10:00
-	5	hierarch$4 with link adj table with identif$4	USPAT; EPO; JPO	2003/12/10 10:00
-	0	(hierarch$4 with node with data$base) and (hierarch$4 with link adj table with identif$4)	USPAT; EPO; JPO	2003/12/10 10:00
-	4	hierarch$4 with link adj table with identif$4 and data$base	USPAT; EPO; JPO	2003/12/10 10:05
-	8	hierarch$4 with link adj table and identif$4 with (application program) and data$base	USPAT; EPO; JPO	2003/12/10 10:06
-	8	hierarch$4 with "link table" and identif$4 with (application program) and data$base	USPAT; EPO; JPO	2003/12/10 10:07
-	8	hierarch$4 with "link table" and identif$4 with (application program)	USPAT; EPO; JPO	2003/12/10 10:10
-	1	hierarch$4 with "link table" with identif$4 with (application program)	USPAT; EPO; JPO	2003/12/10 10:11
-	0	hierarch$4 with "link table" with identif$4 near4 (application program)	USPAT; EPO; JPO	2003/12/10 10:11
-	2	hierarch$4 and "link table" with identif$4 near4 (application program)	USPAT; EPO; JPO	2003/12/10 10:13
-	1	hierarch$4 and "link table" with identif$4 near4 (application program) and application with program	USPAT; EPO; JPO	2003/12/10 10:14
-	1	hierarch$4 and "link table" with identif$4 near4 (application program) and application adj program	USPAT; EPO; JPO	2003/12/10 10:14
-	0	hierarch$4 and "link table" with identif$4 near4 (application program) and application adj program and first with link	USPAT; EPO; JPO	2003/12/10 10:15
-	0	"link table" with identif$4 near4 (application program) and application adj program and first with link	USPAT; EPO; JPO	2003/12/10 10:15

C:\APPS\EAST\Workspaces\52 - Nishikawa.wsp

–	2	"link table" with identif$4 near4 (application program) and application adj program	USPAT; EPO; JPO	2003/12/10 10:16
–	2803	"link table" and "link table" with identif$4 near4 (application program) and application adj program	USPAT; EPO; JPO	2003/12/10 10:18
–	2	"link table" with identif$4 near4 (application program) and application adj program	USPAT; EPO; JPO	2003/12/10 10:17
–	2803	"link table" and "link table" with identif$4 near4 (application program) and application adj program	USPAT; EPO; JPO	2003/12/10 10:18
–	2803	"link table" and ("link table" with identif$4 near4 (application program) and application adj program)	USPAT; EPO; JPO	2003/12/10 10:18
–	778	"link table"	USPAT; EPO; JPO	2003/12/10 10:18
–	2	"link table" with identif$4 near4 (application program) and application adj program and "link table"	USPAT; EPO; JPO	2003/12/10 10:20
–	778	"link table"	USPAT; EPO; JPO	2003/12/10 10:21
–	72	"link table" and first adj link	USPAT; EPO; JPO	2003/12/10 10:21
–	50	"link table" and first adj link and second adj link	USPAT; EPO; JPO	2003/12/10 10:21
–	13	"link table" and first adj link and second adj link and identif$4 near4 (application program)	USPAT; EPO; JPO	2003/12/10 10:21
–	13	"link table" and first adj link and second adj link and identif$4 near4 (application program)	USPAT; EPO; JPO	2003/12/10 10:21
–	9	"link table" and first adj link and second adj link and identif$4 near4 (application program) and data$base	USPAT; EPO; JPO	2003/12/10 10:21
–	9	"link table" and first adj link and second adj link and identif$4 near4 (application program) and data$base and hierarch$5	USPAT; EPO; JPO	2003/12/10 10:29
–	849	link with identif$4 with (application program)	USPAT; EPO; JPO	2003/12/10 10:29
–	20	link with identif$4 with (application program) and link adj table	USPAT; EPO; JPO	2003/12/10 11:14
–	14	link near4 identif$4 with (application program) and link adj table	USPAT; EPO; JPO	2003/12/10 10:42
–	12	link with identif$4 with (application program) and link adj table and hierarch$4	USPAT; EPO; JPO	2003/12/10 10:57
–	12	link with identif$4 with (application program) and link adj table and (hierarch$4 tee)	USPAT; EPO; JPO	2003/12/10 10:57
–	15	link with identif$4 with (application program) and link adj table and (hierarch$4 tree)	USPAT; EPO; JPO	2003/12/10 10:57
–	13	link with identif$4 with (application program) and link adj table and first with link and second with link	USPAT; EPO; JPO	2003/12/10 10:58
–	3	link with identif$4 with (application program) and link adj table and first with link with (application program) and second with link	USPAT; EPO; JPO	2003/12/10 10:58
–	3	link with identif$4 with (application program) and link adj table and first with link with (application program) and second with link with (application program)	USPAT; EPO; JPO	2003/12/10 11:01
–	0	link with identif$4 with (application program) and link adj table and first adj link with (application program) and second adj link with (application program)	USPAT; EPO; JPO	2003/12/10 11:02

C:\APPS\EAST\Workspaces\52 - Nishikawa.wsp

–	12	link with identif$4 with (application program) and link adj table and hierarch$4	USPAT; EPO; JPO	2003/12/10 11:02
–	8	link with identif$4 with (application program) and link adj table and hierarch$4 and link adj id	USPAT; EPO; JPO	2003/12/10 11:03
–	0	link with identif$4 with (application program) and link adj table and hierarch$4 adj link	USPAT; EPO; JPO	2003/12/10 11:03
–	9	link with identif$4 with (application program) and link adj table and hierarch$4 with link	USPAT; EPO; JPO	2003/12/10 11:03
–	7	link with identif$4 with (application program) and link adj table and hierarch$4 with link and link adj id	USPAT; EPO; JPO	2003/12/10 11:05
–	9	link with (id identif$4) with (application program) and link adj table and hierarch$4 near4 link and link adj id	USPAT; EPO; JPO	2003/12/10 11:09
–	0	link with (identif$4) adj (application program) and link adj table and hierarch$4 near4 link and link adj id	USPAT; EPO; JPO	2003/12/10 11:10
–	1	link with (identif$4) near4 (application program) and link adj table and hierarch$4 near4 link and link adj id	USPAT; EPO; JPO	2003/12/10 11:10
–	21	hierarch$4 with link adj table	USPAT; EPO; JPO	2003/12/10 11:14
–	5	hierarch$4 with link adj table with identif$4	USPAT; EPO; JPO	2003/12/10 11:15
–	1	hierarch$4 with link adj table with identif$4 with (application program)	USPAT; EPO; JPO	2003/12/10 11:16
–	2	hierarch$4 with link and link adj table with identif$4 with (application program)	USPAT; EPO; JPO	2003/12/10 11:17
–	64	hierarch$4 with (link table) and link adj table and (link identif$4) with (application program)	USPAT; EPO; JPO	2003/12/10 11:18
–	6	hierarch$4 adj (link table) and link adj table and (link identif$4) with (application program)	USPAT; EPO; JPO	2003/12/10 11:22
–	2	hierarch$4 adj (link table) and application adj program and link adj table	USPAT; EPO; JPO	2003/12/10 11:23

C:\APPS\EAST\Workspaces\52 – Nishikawa.wsp